


Kelvinator 

COMMERCIAL

PRODUCT CATALOG

REFRIGERATOR



BAR EQUIPMENT

Automatic Defrost Cooling System

Provides worry-free performance.

External Electronic Temperature Control

Quick and simple to set, with control display for easy monitoring.

Solid Black Finish Door & Glass Doors

Available as standard, all stainless doors available as special order.

Magnetic Door Gasket

Removable without tools for easy cleaning.

Cabinet Completely Insulated With High Density Polyurethane

For low environmental impact.

Pre-Wired Heavy Duty Power Cord



CLICK OR SCAN TO SEE THESE PRODUCTS ONLINE



CLICK OR SCAN FOR LITERATURE & DOCUMENTATION



CLICK OR SCAN TO CONTACT US



Solid Door Back Bar Refrigerators



MODEL NO.	PNC	# DOORS	UNIT DIMENSIONS (D" x H" x W")**	WEIGHT (LBS)		V/HZ/PH	AMPS	NEMA PLUG
				NET	SHIP			
KCHBB48S*	738269	2	24.5 x 36.25 x 49	205	256	115/60/1	3	5-15P
KCHBB60S	738270	2	24.5 x 36.25 x 61	240	295	115/60/1	3	5-15P
KCHBB72S	738271	3	24.5 x 36.25 x 73	269	337	115/60/1	3	5-15P

Glass Door Back Bar Refrigerators



MODEL NO.	PNC	# DOORS	UNIT DIMENSIONS (D" x H" x W")**	WEIGHT (LBS)		V/HZ/PH	AMPS	NEMA PLUG
				NET	SHIP			
KCHBB48G	738272	2	24.5 x 36.25 x 49	231	284	115/60/1	3	5-15P
KCHBB60G	738273	2	24.5 x 36.25 x 61	260	340	115/60/1	3	5-15P
KCHBB72G*	738274	3	24.5 x 36.25 x 73	328	397	115/60/1	3	5-15P



Stainless Steel Door Back Bar Refrigerators

MODEL NO.	PNC	# DOORS	UNIT DIMENSIONS (D" x H" x W")**	WEIGHT (LBS)		V/HZ/PH	AMPS	NEMA PLUG	SPECIAL ORDER PRODUCT
				NET	SHIP				
KCHBB48SS	738305	2	24.5 x 36.25 x 49	209	260	115/60/1	3	5-15P	✓
KCHBB60SS*	738306	2	24.5 x 36.25 x 61	243	300	115/60/1	3	5-15P	✓
KCHBB72SS	738307	3	24.5 x 36.25 x 73	273	342	115/60/1	3	5-15P	✓



Draft Boxes

MODEL NO.	PNC	# DOORS/TOWERS	UNIT DIMENSIONS (D" x H" x W")**	WEIGHT (LBS)		V/HZ/PH	AMPS	NEMA PLUG	SPECIAL ORDER PRODUCT
				NET	SHIP				
KCHBBD1D1T*	738295	1/1	32 x 53.5 x 24	159	198	115/60/1	2.2	5-15P	✓
KCHBBD2D1T	738296	2/1	24.5 x 57 x 49	216	269	115/60/1	3	5-15P	✓
KCHBBD2D2T	738297	2/2	24.5 x 57 x 49	218	265	115/60/1	3	5-15P	✓
KCHBBD3D2T	738298	3/2	24.5 x 57 x 73	320	375	115/60/1	3	5-15P	✓



Bottle Coolers

MODEL NO.	PNC	OPENING	UNIT DIMENSIONS (D" x H" x W")**	WEIGHT (LBS)		V/HZ/PH	AMPS	NEMA PLUG
				NET	SHIP			
KCHBC36	738294	Slide Top	27 x 35 x 37	154	187	115/60/1	1.8	5-15P
KCHBC50*	738267		27 x 35 x 49.5	181	234	115/60/1	3	5-15P
KCHBC65	738268		27 x 35 x 64.25	216	276	115/60/1	3	5-15P
KCHBC95	738293		27 x 35 x 95.25	318	381	115/60/1	3	5-15P



Glass Froster

MODEL NO.	PNC	OPENING	UNIT DIMENSIONS (D" x H" x W")**	WEIGHT (LBS)		V/HZ/PH	AMPS	NEMA PLUG
				NET	SHIP			
KCHGF24*	738327	Slide Top	27 x 35 x 24	121	148	115/60/1	1.5	5-15P
KCHGF36	738328		27 x 35 x 37	150	187	115/60/1	1.5	5-15P

* IMAGE SHOWN

** DIMENSIONS APPROXIMATE. SEE SPECIFICATION SHEET FOR EXACT DIMENSIONS.

CHEF BASES

Ceramic Insulated Top

Protects up to 572°F.

Marine Edge

Keeps appliances from sliding off.

External Electronic Temperature Control

Quick and simple to set, with control display for easy monitoring.

Cabinet Completely Insulated with High Density Polyurethane

For low environmental impact.

Magnetic Drawer Gasket

Removable without tools for easy cleaning.

Heavy Duty Steel Drawer Slides

Support up to 160lb static capacity.

Heavy Duty Casters

Pre-Wired Heavy Duty Power Cord



CLICK OR SCAN TO SEE THESE PRODUCTS ONLINE

CLICK OR SCAN FOR LITERATURE & DOCUMENTATION

CLICK OR SCAN TO CONTACT US



Chef Base Refrigerators

MODEL NO.	PNC	# DRAWERS	UNIT DIMENSIONS (D" x H" x W")**	WEIGHT (LBS)		V/HZ/PH	AMPS	NEMA PLUG
				NET	SHIP			
KCHCB48R	738313	2	32 x 26 x 50	214	260	115/60/1	2.1	5-15P
KCHCB60R	738311	2	32 x 26 x 62	269	298	115/60/1	2.1	5-15P
KCHCB72R*	738312	4	32 x 26 x 74	287	359	115/60/1	2.1	5-15P

CHEST FREEZERS

Cabinet Completely Insulated with High Density Polyurethane
For low environmental impact.

Powder Coated Pre-Painted Steel Inside & Out
For strength and durability.

Clean White Finish
For easy application of vinyl graphics (by others).

Sliding Glass Lid on Novelty Freezers

Hinged and Gasketed Lid on Chest Freezers

Heavy Duty Casters, Front Locking

Pre-Wired Heavy Duty Power Cord



CLICK OR SCAN TO SEE THESE PRODUCTS ONLINE

CLICK OR SCAN FOR LITERATURE & DOCUMENTATION

CLICK OR SCAN TO CONTACT US



Solid Door Chest Freezer

MODEL NO.	PNC	UNIT DIMENSIONS (D" x H" x W")**	WEIGHT (LBS)		V/HZ/PH	AMPS	NEMA PLUG	ENERGY STAR PRODUCT
			NET	SHIP				
KCCF073WS*	738089	22 x 33 x 38	88	99	115/60/1	1.2	5-15P	-
KCCF140WH	738230	29.25 x 36 x 51.75	150	187	115/60/1	1.9	5-15P	
KCCF170WH	738231	29.25 x 36.5 x 59.5	170	205	115/60/1	1.9	5-15P	
KCCF210WH	738232	29.25 x 36.50 x 70.83	198	240	115/60/1	1.9	5-15P	



Sliding-Glass Door Novelty Chest Freezer

MODEL NO.	PNC	UNIT DIMENSIONS (D" x H" x W")**	WEIGHT (LBS)		V/HZ/PH	AMPS	NEMA PLUG
			NET	SHIP			
KCNF073WS	738090	22 x 33 x 38	79	88	115/60/1	1.2	5-15P
KCNF140WH*	738233	27.25 x 34.75 x 59.5	176	194	115/60/1	2	5-15P
KCNF170WH	738234	27.32 x 34.65 x 70.83	209	243	115/60/1	4.1	5-15P

* IMAGE SHOWN

** DIMENSIONS APPROXIMATE. SEE SPECIFICATION SHEET FOR EXACT DIMENSIONS.

FOOD PREPARATION

Insulated Lid

To maintain food freshness.

External Electronic Temperature Control

Quick and simple to set, with control display for easy monitoring

Full Depth Cutting Board

Heavy Duty Casters

Magnetic Gasket

Removable without tools for easy cleaning

Cabinet Completely Insulated with High Density Polyurethane

For low environmental impact

Fin & Tube Condenser

Improves performance in high temperature environments.

Automatic Defrost Cooling Systems

Provides worry-free performance

Self-Closing Door with 90-Degree Stay-Open Feature



CLICK OR SCAN TO SEE THESE PRODUCTS ONLINE

CLICK OR SCAN FOR LITERATURE & DOCUMENTATION

CLICK OR SCAN TO CONTACT US



Sandwich/Salad Tables

MODEL NO.	PNC	# 1/6 PANS	UNIT DIMENSIONS (D" x H" x W")**	WEIGHT (LBS)		V/HZ/PH	AMPS	NEMA PLUG
				NET	SHIP			
KCHST27.8*	738255	8	30 x 43.25 x 29	157	223	115/60/1	3	5-15P
KCHST48.12	738256	12	30 x 43.25 x 48.25	223	333	115/60/1	4.3	5-15P
KCHST60.16	738257	16	30 x 43.25 x 61.25	260	392	115/60/1	4.3	5-15P
KCHST70.18	738258	18	30 x 43.25 x 71.75	287	443	115/60/1	4.3	5-15P



Megatop Sandwich/Salad Tables With Doors

MODEL NO.	PNC	# 1/6 PANS	UNIT DIMENSIONS (D" x H" x W")**	WEIGHT (LBS)		V/HZ/PH	AMPS	NEMA PLUG	SPECIAL ORDER PRODUCT
				NET	SHIP				
KCHMT29.12	738259	12	34.5 x 43.25 x 29	163	229	115/60/1	3	5-15P	-
KCHMT48.18*	738260	18	34.5 x 43.25 x 48.25	227	337	115/60/1	4.3	5-15P	-
KCHMT60.24	738261	24	34.5 x 43.25 x 61.25	276	408	115/60/1	4.3	5-15P	-
KCHMT70.30	738262	30	34.5 x 43.25 x 71.75	291	448	115/60/1	4.3	5-15P	-



Megatop Sandwich/Salad Tables With Drawers

MODEL NO.	PNC	# 1/6 PANS	UNIT DIMENSIONS (D" x H" x W")**	WEIGHT (LBS)		V/HZ/PH	AMPS	NEMA PLUG	SPECIAL ORDER PRODUCT
				NET	SHIP				
KCHMT29.12.2D	738286	12	34.5 x 43.25 x 29	207	273	115/60/1	3	5-15P	✓
KCHMT48.18.4D*	738287	18	34.5 x 43.25 x 48.25	359	421	115/60/1	4.3	5-15P	✓
KCHMT60.24.4D	738288	24	34.5 x 43.25 x 61.25	386	518	115/60/1	4.3	5-15P	✓



Pizza Prep Tables

MODEL NO.	PNC	# 1/3 PANS	UNIT DIMENSIONS (D" x H" x W")**	WEIGHT (LBS)		V/HZ/PH	AMPS	NEMA PLUG
				NET	SHIP			
KCHPT50.6	738252	6	32.25 x 41.5 x 47.5	225	291	115/60/1	5	5-15P
KCHPT72.9*	738253	9	32.25 x 41.5 x 71	265	397	115/60/1	5	5-15P
KCHPT92.12	738254	12	32.25 x 41.5 x 94.25	351	551	115/60/1	5.5	5-15P

* IMAGE SHOWN

** DIMENSIONS APPROXIMATE. SEE SPECIFICATION SHEET FOR EXACT DIMENSIONS.

GLASS DOOR MERCHANDISER

Automatic Defrost Cooling System

Provides worry-free performance.

External Electronic Temperature Control

Quick and simple to set, with control display for easy monitoring.

Cabinet Completely Insulated with High Density Polyurethane

For low environmental impact.

Back Bottom Mounted Cooling Unit

Guarantees easy access and cleaning.

Magnetic Gasket

Removable without tools for easy cleaning.

Lockable Door

Heavy Duty Casters

Pre-Wired Heavy Duty Power Cord



CLICK OR SCAN TO SEE THESE PRODUCTS ONLINE



CLICK OR SCAN FOR LITERATURE & DOCUMENTATION



CLICK OR SCAN TO CONTACT US





Sliding Glass Door Merchandiser Refrigerators

MODEL NO.	PNC	# DOORS	UNIT DIMENSIONS (D" x H" x W")**	WEIGHT (LBS)		V/HZ/PH	AMPS	NEMA PLUG
				NET	SHIP			
KCHSGM36R*	738318	2	30.75 x 83.5 x 39.5	414	454	115/60/1	4.5	5-15P
KCHSGM48R	738319	2	30.75 x 83.5 x 54	492	538	115/60/1	4.5	5-15P
KCHSGM72R	738320	3	30.75 x 83.5 x 81	699	776	115/60/1	7.5	5-15P



Hinged Glass Door Merchandiser Refrigerators

MODEL NO.	PNC	# DOORS	UNIT DIMENSIONS (D" x H" x W")**	WEIGHT (LBS)		V/HZ/PH	AMPS	NEMA PLUG	ENERGY STAR PRODUCT
				NET	SHIP				
KCHGM12R	738247	1	26 x 65.75 x 25	218	247	115/60/1	3	5-15P	-
KCHGM26R	738248	1	33.75 x 83.5 x 28.5	348	377	115/60/1	3	5-15P	-
KCHGM48R	738249	2	32 x 83.5 x 54	489	553	115/60/1	4.5	5-15P	
KCHGM72R*	738308	3	32 x 83.5 x 81	701	780	115/60/1	7.5	5-15P	-



Hinged Glass Door Merchandiser Freezers

MODEL NO.	PNC	# DOORS	UNIT DIMENSIONS (D" x H" x W")**	WEIGHT (LBS)		V/HZ/PH	AMPS	NEMA PLUG
				NET	SHIP			
KCHGM26F	738250	1	33.75 x 83.5 x 28.5	351	390	115/60/1	8	5-15P
KCHGM48F	738309	2	32 x 83.5 x 54	536	580	115/60/1	9	5-15P
KCHGM72F*	738310	3	32 x 83.5 x 81	694	774	115-230/60/1	9	L14-20P



Glass Door Ice Bag Merchandiser Freezers

MODEL NO.	PNC	# DOORS	UNIT DIMENSIONS (D" x H" x W")**	WEIGHT (LBS)		V/HZ/PH	AMPS	NEMA PLUG
				NET	SHIP			
KCHGICM23FB*	738321	1	32 x 83.5 x 27	302	342	115/60/1	8	5-15P
KCHGICM49FB	738322	2	32 x 83.5 x 54	536	580	115/60/1	9	5-15P

* IMAGE SHOWN

** DIMENSIONS APPROXIMATE. SEE SPECIFICATION SHEET FOR EXACT DIMENSIONS.

REACH-INS

Automatic Defrost Cooling System

Provides worry-free performance.

External Electronic Temperature Control

Quick and simple to set, with control display for easy monitoring.

Magnetic Gasket

Removable without tools for easy cleaning.

Cabinet Completely Insulated with High Density Polyurethane

For low environmental impact.

Self-Closing Door with 90-Degree Stay-Open Feature

On solid stainless doors only.

Interior LED Light

Saves energy and provides the best internal visibility.

Heavy Duty Vinyl Coated Steel Shelves

Field Reversible Stainless Doors

On single section solid stainless door units.

Heavy Duty Casters

Pre-Wired Heavy Duty Power Cord



CLICK OR SCAN TO SEE THESE PRODUCTS ONLINE

CLICK OR SCAN FOR LITERATURE & DOCUMENTATION

CLICK OR SCAN TO CONTACT US



Solid Door Reach-In Refrigerators

MODEL NO.	PNC	# DOORS	UNIT DIMENSIONS (D" x H" x W")**	WEIGHT (LBS)		V/HZ/PH***	AMPS	NEMA PLUG	ENERGY STAR PRODUCT	SPECIAL ORDER PRODUCT
				NET	SHIP					
KCHRI27R1DRE	738241	1	32.75 x 82.25 x 27	276	313	115/60/1	3	5-15P		-
KCHRI27R1DRE-220	738340	1	32.75 x 82.25 x 27	276	307	220/50/1	2	--	-	
KCHRI54R2DRE*	738242	2	32.75 x 82.25 x 54	428	489	115/60/1	4.5	5-15P		-
KCHRI54R2DRE-220	738342	2	32.75 x 82.25 x 54	428	490	220/50/1	3	--	-	
KCHRI81R3DR	738243	3	32.75 x 82.25 x 81	492	571	115/60/1	7.5	5-15P	-	-

** IMAGE SHOWN
** DIMENSIONS APPROXIMATE. SEE SPECIFICATION SHEET FOR EXACT DIMENSIONS.

*** 220V/50HZ MODELS ARE EXPORT ONLY AND NOT FOR US AND CANADA SALES. ETL & SANITATION APPROVALS NOT APPLICABLE FOR 220V MODELS. 220V MODELS HOLD CE APPROVAL.



Half-Solid Door Reach-In Refrigerators

MODEL NO.	PNC	# DOORS	UNIT DIMENSIONS (D" x H" x W")**	WEIGHT (LBS)		V/HZ/PH	AMPS	NEMA PLUG	SPECIAL ORDER PRODUCT
				NET	SHIP				
KCHRI27R2HDR	738280	2	32 x 82.25 x 27	273	309	115/60/1	3	5-15P	✓
KCHRI54R4HDR*	738282	4	32 x 82.25 x 54	428	492	115/60/1	4.5	5-15P	✓



Glass Door Reach-In Refrigerators

MODEL NO.	PNC	# DOORS	UNIT DIMENSIONS (D" x H" x W")**	WEIGHT (LBS)		V/HZ/PH	AMPS	NEMA PLUG	SPECIAL ORDER PRODUCT
				NET	SHIP				
KCHRI27R1GDR	738278	1	32 x 82.25 x 27	293	333	115/60/1	3	5-15P	-
KCHRI54R2GDR	738281	2	32 x 82.25 x 54	459	518	115/60/1	4.5	5-15P	-
KCHRI81R3GDR*	738315	3	32.75 x 82.25 x 81	734	816	115/60/1	7	5-15P	✓



Half-Glass Door Reach-In Refrigerators

MODEL NO.	PNC	# DOORS	UNIT DIMENSIONS (D" x H" x W")**	WEIGHT (LBS)		V/HZ/PH	AMPS	NEMA PLUG	SPECIAL ORDER PRODUCT
				NET	SHIP				
KCHRI27R2HGDR	738317	2	32.75 x 82.25 x 27	289	331	115/60/1	3	5-15P	✓
KCHRI54R4HGDR*	738316	4	32.75 x 82.25 x 54	459	520	115/60/1	4.5	5-15P	✓



Solid Door Reach-In Freezers

MODEL NO.	PNC	# DOORS	UNIT DIMENSIONS (D" x H" x W")**	WEIGHT (LBS)		V/HZ/PH***	AMPS	NEMA PLUG	SPECIAL ORDER PRODUCT
				NET	SHIP				
KCHRI27R1DFE	738244	1	32.75 x 82.25 x 27	289	328	115/60/1	8	5-15P	-
KCHRI27R1DFE-220*	738341	1	32.75 x 82.25 x 27	289	328	220/50/1	4.9	--	✓
KCHRI54R2DFE	738245	2	32.75 x 82.25 x 54	452	514	115/60/1	9	5-15P	-
KCHRI81R3DF	738246	3	32.75 x 82.25 x 81	728	809	115-230/60/1	9	L14-20P	-

* IMAGE SHOWN

** DIMENSIONS APPROXIMATE. SEE SPECIFICATION SHEET FOR EXACT DIMENSIONS.



Half-Solid Door Reach-In Freezers

MODEL NO.	PNC	# DOORS	UNIT DIMENSIONS (D" x H" x W")**	WEIGHT (LBS)		V/HZ/PH	AMPS	NEMA PLUG	SPECIAL ORDER PRODUCT
				NET	SHIP				
KCHRI27R2HDF*	738285	2	32x 82.25 x 27	289	331	115/60/1	8	5-15P	✓



Solid Door Back Room Upright Reach-In Refrigerators

MODEL NO.	PNC	# DOORS	UNIT DIMENSIONS (D" x H" x W")**	WEIGHT (LBS)		V/HZ/PH	AMPS	NEMA PLUG
				NET	SHIP			
KCHRI25R1DRE*	738251	1	28.75 x 78 x 30.5	249	267	115/60/1	3	5-15P



Glass Door Back Room Upright Reach-In Refrigerators

MODEL NO.	PNC	# DOORS	UNIT DIMENSIONS (D" x H" x W")**	WEIGHT (LBS)		V/HZ/PH	AMPS	NEMA PLUG
				NET	SHIP			
KCHRI25R1GDR*	738283	1	28.75 x 78 x 30.5	306	324	115/60/1	3	5-15P



Solid Door Back Room Upright Reach-In Freezers

MODEL NO.	PNC	# DOORS	UNIT DIMENSIONS (D" x H" x W")**	WEIGHT (LBS)		V/HZ/PH	AMPS	NEMA PLUG
				NET	SHIP			
KCHRI25R1DFE*	738279	1	28.75 x 78 x 30.5	265	284	115/60/1	8	5-15P

MILK COOLERS

Cold Wall Cooling System

Provides worry-free performance.

Heavy Duty Stainless Interior

For long life and easy cleaning.

External Electronic Temperature Control

Quick and simple to set, with control display for easy monitoring.

Cabinet Completely Insulated with High Density Polyurethane

For low environmental impact.

Gasketed Door with Locking Lid

Heavy Duty Casters, Front Locking

Pre-Wired Heavy Duty Power Cord

Clean White Finish

For easy application of vinyl graphics (by others).



CLICK OR SCAN TO SEE THESE PRODUCTS ONLINE

CLICK OR SCAN FOR LITERATURE & DOCUMENTATION

CLICK OR SCAN TO CONTACT US



Milk Crate Coolers

MODEL NO.	PNC	# CRATES	UNIT DIMENSIONS (D" x H" x W")**	WEIGHT (LBS)		V/Hz/PH	AMPS	NEMA PLUG
				NET	SHIP			
KCHMC34	738275	8	30.75 x 42 x 34	176	229	115/60/1	3	5-15P
KCHMC49*	738276	12	30.75 x 42 x 49	220	282	115/60/1	3	5-15P
KCHMC58	738277	16	30.75 x 42 x 58	243	315	115/60/1	3	5-15P

* IMAGE SHOWN

** DIMENSIONS APPROXIMATE. SEE SPECIFICATION SHEET FOR EXACT DIMENSIONS.

DIPPING CABINETS

Automatic Defrost Cooling System

Provides worry-free performance.

External Electronic Temperature Control

Quick and simple to set, with control display for easy monitoring.

Base Cabinet Completely Insulated with High Density Polyurethane

For low environmental impact.

Back Lit Front Panel

Allows for customer supplied graphics or vinyl.

Lockable Sliding Glass Lids

With secondary plexiglass sliding windows.

Gasketed Door on the Rear

For storage of backup ice cream tubs.

Heavy Duty Casters

Pre-Wired Heavy Duty Power Cord

Ropak Tub Bracket Insert Included

For select serial numbers. Please see individual model spec sheet for details.

Optional Gelato Pan Inserts Available



CLICK OR SCAN TO SEE THESE PRODUCTS ONLINE

CLICK OR SCAN FOR LITERATURE & DOCUMENTATION

CLICK OR SCAN TO CONTACT US



Dipping Cabinet Refrigerators

MODEL NO.	PNC	# TUBS	UNIT DIMENSIONS (D" x H" x W")**	WEIGHT (LBS)		V/HZ/PH	AMPS	NEMA PLUG
				NET	SHIP			
KCICDC4FH	738371	4	33 x 50 x 32.9375	181	238	115/60/1	1.3	5-15P
KCICDC6FH	738372	6	33 x 50 x 42.5	240	304	115/60/1	1.4	5-15P
KCICDC8FH	738373	8	33 x 50 x 53.125	271	357	115/60/1	2	5-15P
KCICDC10FH*	738374	10	33 x 50 x 67.75	335	439	115/60/1	4.1	5-15P

* IMAGE SHOWN
** DIMENSIONS APPROXIMATE. SEE SPECIFICATION SHEET FOR EXACT DIMENSIONS.

UNDERCOUNTERS & WORKTOPS

External Electronic Temperature Control

Quick and simple to set, with control display for easy monitoring

Heavy Duty Casters

Magnetic Gasket

Removable without tools for easy cleaning

Cabinet Completely Insulated with High Density Polyurethane

For low environmental impact

Fin & Tube Condenser

Improves performance in high temperature environments.

Automatic Defrost Cooling Systems

Provides worry-free performance

Self-Closing Door with 90-Degree Stay-Open Feature

Offered in Hinged-Door and Drawer Models

Offered in 32", 33", and 35.5" Counter Heights



CLICK OR SCAN TO SEE THESE PRODUCTS ONLINE



CLICK OR SCAN FOR LITERATURE & DOCUMENTATION



CLICK OR SCAN TO CONTACT US



32" Tall Solid Drawer Undercounter Refrigerators

MODEL NO.	PNC	# DRAWERS	UNIT DIMENSIONS (D" x H" x W")**	WEIGHT (LBS)		V/HZ/PH	AMPS	NEMA PLUG	SPECIAL ORDER PRODUCT
				NET	SHIP				
KCHUC27.2DR-32*	738337	2	30 x 32 x 27.75	121	198	115/60/1	1.5	5-15P	✓

* IMAGE SHOWN

** DIMENSIONS APPROXIMATE. SEE SPECIFICATION SHEET FOR EXACT DIMENSIONS.



32" Tall Solid Door Undercounter Refrigerators

MODEL NO.	PNC	# DOORS	UNIT DIMENSIONS (D" x H" x W")**	WEIGHT (LBS)		V/HZ/PH	AMPS	NEMA PLUG
				NET	SHIP			
KCHUC27R-32*	738329	1	30 x 32 x 27.75	121	154	115/60/1	1.5	5-15P
KCHUC36R-32	738331	2	30 x 32 x 36.5	174	196	115/60/1	2	5-15P
KCHUC48R-32	738332	2	30 x 32 x 48.25	176	227	115/60/1	3	5-15P
KCHUC60R-32	738333	2	30 x 32 x 61.25	223	280	115/60/1	3	5-15P
KCHUC72R-32	738334	3	30 x 32 x 71.75	2556	324	115/60/1	3.5	5-15P



33" Tall Solid Door Undercounter Refrigerators

MODEL NO.	PNC	# DOORS	UNIT DIMENSIONS (D" x H" x W")**	WEIGHT (LBS)		V/HZ/PH	AMPS	NEMA PLUG	SPECIAL ORDER PRODUCT
				NET	SHIP				
KCHUC23R*	738323	1	23.5 x 33 x 23.75	93	99	115/60/1	2	5-15P	✓



35.5" Tall Solid Drawer Undercounter Refrigerators

MODEL NO.	PNC	# DRAWERS	UNIT DIMENSIONS (D" x H" x W")**	WEIGHT (LBS)		V/HZ/PH	AMPS	NEMA PLUG	SPECIAL ORDER PRODUCT
				NET	SHIP				
KCHUC27.2DR*	738290	2	30 x 35.5 x 27.75	176	209	115/60/1	1.5	5-15P	✓



35.5" Tall Solid Door Undercounter Refrigerators

MODEL NO.	PNC	# DOORS	UNIT DIMENSIONS (D" x H" x W")**	WEIGHT (LBS)		V/HZ/PH	AMPS	NEMA PLUG	ENERGY STAR PRODUCT	SPECIAL ORDER PRODUCT
				NET	SHIP					
KCHUC27R	738263	1	30 x 35.5 x 27.75	132	165	115/60/1	1.5	5-15P		✓
KCHUC48R	738264	2	30 x 35.5 x 48.25	187	238	115/60/1	3	5-15P		✓
KCHUC60R	738291	2	30 x 35.5 x 61.25	234	291	115/60/1	3	5-15P		✓
KCHUC72R*	738292	3	30 x 35.5 x 71.75	267	335	115/60/1	3.5	5-15P	-	✓



Solid Door Worktop Refrigerators

MODEL NO.	PNC	# DOORS	UNIT DIMENSIONS (D" x H" x W")**	WEIGHT (LBS)		V/HZ/PH***	AMPS	NEMA PLUG	ENERGY STAR PRODUCT	SPECIAL ORDER PRODUCT
				NET	SHIP					
KCHUCWT27R	738299	1	30 x 39.5 x 27.75	143	174	115/60/1	1.5	5-15P		-
KCHUCWT36R	738338	2	30 x 39.5 x 36.5	183	216	115/60/1	2	5-15P	-	-
KCHUCWT48R*	738300	2	30 x 39.5 x 48.25	24	265	115/60/1	3	5-15P		-
KCHUCWT48R-220	738343	2	30 x 39.5 x 48.25	214	280	220/50/1	3	-	-	
KCHUCWT60R	738301	2	30 x 39.5 x 61.25	254	311	115/60/1	3	5-15P		-
KCHUCWT72R	738302	3	30 x 39.5 x 71.75	289	357	115/60/1	3.5	5-15P	-	-
KCHUCWT72R-220	738344	3	30 x 39.5 x 71.75	289	380	220/50/1	1.8	-	-	



33" Tall Glass Door Undercounter Refrigerators

MODEL NO.	PNC	# DOORS	UNIT DIMENSIONS (D" x H" x W")**	WEIGHT (LBS)		V/HZ/PH	AMPS	NEMA PLUG	ENERGY STAR PRODUCT	SPECIAL ORDER PRODUCT
				NET	SHIP					
KCHUCGD23R*	738325	1	23.5 x 33 x 23.75	106	115	115/60/1	2	5-15P	-	



32" Tall Solid Door Undercounter Freezers

MODEL NO.	PNC	# DOORS	UNIT DIMENSIONS (D" x H" x W")**	WEIGHT (LBS)		V/HZ/PH	AMPS	NEMA PLUG
				NET	SHIP			
KCHUC27F-32	738330	1	30 x 32 x 27.75	130	161	115/60/1	1.9	5-15P
KCHUC36F-32*	738335	2	30 x 32 x 36.5	179	231	115/60/1	3	5-15P
KCHUC48F-32	738336	2	30 x 32 x 48.25	223	262	115/60/1	4	5-15P



33" Tall Solid Door Undercounter Freezers

MODEL NO.	PNC	# DOORS	UNIT DIMENSIONS (D" x H" x W")**	WEIGHT (LBS)		V/HZ/PH	AMPS	NEMA PLUG	SPECIAL ORDER PRODUCT
				NET	SHIP				
KCHUC23F*	738324	1	23.5 x 33 x 23.75	101	108	115/60/1	2	5-15P	

* IMAGE SHOWN

** DIMENSIONS APPROXIMATE. SEE SPECIFICATION SHEET FOR EXACT DIMENSIONS.

*** 220V/50HZ MODELS ARE EXPORT ONLY AND NOT FOR US AND CANADA SALES. ETL & SANITATION APPROVALS NOT APPLICABLE FOR 220V MODELS. 220V MODELS HOLD CE APPROVAL.



35.5" Tall Solid Door Undercounter Freezers

MODEL NO.	PNC	# DOORS	UNIT DIMENSIONS (D" x H" x W")**	WEIGHT (LBS)		V/HZ/PH	AMPS	NEMA PLUG	SPECIAL ORDER PRODUCT
				NET	SHIP				
KCHUC27F	738265	1	30 x 35.5 x 27.75	141	172	115/60/1	1.9	5-15P	✓
KCHUC48F*	738266	2	30 x 35.5 x 48.25	223	273	115/60/1	4	5-15P	✓



Solid Door Worktop Freezers

MODEL NO.	PNC	# DOORS	UNIT DIMENSIONS (D" x H" x W")**	WEIGHT (LBS)		V/HZ/PH	AMPS	NEMA PLUG
				NET	SHIP			
KCHUCWT27F	738303	1	30 x 39.5 x 27.75	152	183	115/60/1	1.9	5-15P
KCHUCWT36F*	738339	2	30 x 39.5 x 36.5	187	225	115/60/1	3	5-15P
KCHUCWT48F	738304	2	30 x 39.5 x 48.25	225	276	115/60/1	4	5-15P



33" Tall Glass Door Undercounter Freezers

MODEL NO.	PNC	# DOORS	UNIT DIMENSIONS (D" x H" x W")**	WEIGHT (LBS)		V/HZ/PH	AMPS	NEMA PLUG	SPECIAL ORDER PRODUCT
				NET	SHIP				
KCHUCGD23F*	738326	1	23.5 x 33 x 23.75	115	123	115/60/1	5.5	5-15P	✓

ACCESSORIES	PART #	DESCRIPTION	AVAILABLE FOR MODELS
BAR EQUIPMENT			
FAUCET	880677	DRAFT TOWER DOUBLE FAUCET	738295, 738296, 738297, 738298
CHEF BASES			
LEG ADJUSTABLE	206445	LEG ADJUSTABLE 6"	738311, 738312, 738313
CHEST FREEZERS			
BASKET	882002	FREEZER BASKET	738089
BASKET	882003	FREEZER BASKET	738090
BASKET	882000	FREEZER BASKET	738230, 738231, 738232
BASKET	882001	FREEZER BASKET	738233, 738234
FOOD PREPARATION			
DRAWERS KIT	880615	DRAWERS KIT FOR 29" MEGA TOP & SALAD PREP TABLE	738255, 738259
DRAWERS KIT	880616	DRAWERS KIT FOR 48" MEGA TOP, SALAD PREP & UNDER-COUNTER (REQUIRES 2 KITS) & LEFT OR RIGHT SECTION OF 70" SALAD & MEGATOP PREP TABLE & 72" UNDER-COUNTER	738256, 738258, 738260, 738262, 738264, 738292, 738300, 738302, 738332, 738334, 738343, 738344
DRAWERS KIT	880694	DRAWER KIT FOR KCHPT50.6 PIZZA TABLE	738252
DRAWERS KIT	880695	DRAWER KIT FOR KCHPT72.9 PIZZA TABLE (REQUIRES 2 KITS)	738253
DRAWERS KIT	880696	DRAWER KIT FOR KCHPT92.12 PIZZA TABLE FOR LEFT OR RIGHT SECTION	738254
DRAWERS KIT	880697	DRAWER KIT FOR KCHPT92.12 PIZZA TABLE FOR CENTER SECTION	738254
DRAWERS KIT	880699	DRAWER KIT FOR CENTER SECTION OF 70" SALAD & MEGA TOP PREP TABLE & 72" UNDER-COUNTER	738258, 738262, 738292, 738302, 738334, 738344
DRAWERS KIT	880617	DRAWERS KIT FOR 60" MEGA TOP & UNDER-COUNTER (REQUIRES 2 KITS)	738257, 738261, 738291, 738301, 738333
GLASS DOOR MERCHANDISER			
SHELF	880593	SHELF FOR 26" MERCHANDISER (GLASS DOOR)	738248, 738250
SHELF	880594	SHELF FOR 48" & 72" (LEFT/RIGHT) MERCHANDISER (GLASS DOOR)	738249, 738281, 738308, 738309, 738310, 738315, 738316
SHELF	880595	MIDDLE SHELF FOR 72" MERCHANDISER (GLASS DOOR)	738308, 738310, 738315
SHELF	880619	SHELF FOR 12 MERCHANDISER (GLASS DOOR)	738247
SHELF	880686	SHELF FOR 48" (LEFT/RIGHT) MERCHANDISER (SLIDING GLASS DOOR)	738319
SHELF	880687	SHELF FOR 36" SLIDE GLASS DOOR MERCHANDISER LEFT & RIGHT	738318
SHELF	880688	SHELF FOR 72" SLIDE GLASS DOOR MERCHANDISER LEFT & RIGHT	738320
SHELF	880689	SHELF FOR 72" SLIDE GLASS DOOR MERCHANDISER MIDDLE	738320
DIPPING CABINETS			
GELATO KIT	882012	5L GELATO PAN SUPPORT METAL & ACRYLIC FRAME 4 GELATO PANS	738371
GELATO KIT	882013	5L GELATO PAN SUPPORT METAL & ACRYLIC FRAME 6 GELATO PANS	738372
GELATO KIT	882014	5L GELATO PAN SUPPORT METAL & ACRYLIC FRAME 9 GELATO PANS	738373
GELATO KIT	882015	5L GELATO PAN SUPPORT METAL & ACRYLIC FRAME 12 GELATO PANS	738374
DIPPER WELL KIT	882016	DIPPER WELL KIT WITH FAUCET	738371, 738372, 738373, 738374
UNDERCOUNTERS & WORKTOPS			
LEG ADJUSTABLE	206445	LEG ADJUSTABLE 6"	738263, 738264, 738265, 738266, 738290, 738291, 738292, 738299, 738300, 738301, 738302, 738303, 738304, 738323, 738324, 738325, 738326, 738329, 738330, 738331, 738332, 738333, 738334, 738335, 738336, 738337, 738338, 738339, 738343, 738344
DRAWERS KIT	880614	DRAWERS KIT FOR 27" UNDER-COUNTER	738263, 738299, 738329
REACH-INS			
LEG ADJUSTABLE	206445	LEG ADJUSTABLE 6"	738241, 738242, 738243, 738244, 738245, 738246, 738278, 738280, 738281, 738282, 738285, 738315, 738316, 738317, 738340, 738341, 738342
SHELF	880590	SHELF FOR 27" REACH-IN (SOLID DOOR)	738241, 738244, 738280, 738285, 738340, 738341
SHELF	880591	SHELF FOR 54" & 81" (LEFT/RIGHT) REACH-IN (SOLID DOOR)	738242, 738243, 738246, 738282, 738342
SHELF	880679	SHELF FOR 54" REACH-IN FREEZER (SOLID DOOR)	738245
SHELF	880592	MIDDLE SHELF FOR 81" REACH-INS (SOLID DOOR)	738243, 738246
SHELF	880618	SHELF FOR 27" REACH-IN (GLASS DOOR)	738278, 738317
SHELF	880678	SHELF FOR 25" REACH-IN	738251, 738279, 738283
SLIDE KIT	880622	SHEET PAN RACK KIT (KCBM, KCHRI)	738241, 738242, 738243, 738244, 738245, 738246, 738278, 738281, 738315
ALL CATEGORIES			
SHELF CLIPS	880611	SHELF CLIPS - 4 PACK	ALL CODES WITH SHELVES

Infinately Cold



QUALITY

Constant quality controls during the production phases and 100% quality checks at the end of the production line.



EFFICIENCY & SUSTAINABILITY

High efficiency components, environmental-friendly gases (R290 and R600a) to reduce the global warming potential (GWP)



ROBUSTNESS

Low maintenance, long-lasting, high quality stainless steel engineering.



WIDE RANGE

A wider and more flexible range to satisfy every customer's needs. New models available.



HERITAGE

For over 80 years Kelvinator has been supplying professional, commercial and home appliances. Our proven expertise has earned us an unparalleled reputation for quality, and tremendous customer loyalty.

For installations outside the US and Canada, please contact your local equipment provider for warranty specifics.

Kelvinator Commercial is a pending or registered trademark of Electrolux Consumer Products, Inc., and is used under a license from Electrolux Consumer Products, Inc. Information contained in this document is known to be current and accurate at the time of printing/creation. Reference our product line website for the most updated product information and specifications.

© 2025 Electrolux Professional, Inc. All Rights Reserved. | 02.04.25

USA

1-866-738-1640

www.kelvinatorcommercial.com

Part of



Electrolux
Professional
Group